

DONALD R. ANTONELLI
DAVID T. TERRY
MELVIN KRAUS
WILLIAM I. SOLOMON*
GREGORY E. MONTONE
RONALD J. SHORE
DONALD E. STOUT
ALAN E. SCHIAVELLI
JAMES N. DRESSER
CARL I. BRUNDIDGE*
PAUL J. SKWIERAWSKI*
ROBERT M. BAUER

RANDALL S. SVIHLA
HUNG H. BUI*
GEORGE N. STEVENS*
FREDERICK D. BAILEY
DAVID C. OREN
RALPH T. WEBB*

*ADMITTED OTHER THAN VA

LAW OFFICES
ANTONELLI, TERRY, STOUT & KRAUS, LLP

SUITE 1800
1300 NORTH SEVENTEENTH STREET
ARLINGTON, VIRGINIA 22209

January 10, 2001

OF COUNSEL
HENRY M. ZYKORIE*
ROBERT F. GNUSE

PATENT AGENT
LARRY N. ANAGNOS

TELEPHONE
(703) 312-6600

FACSIMILE
(703) 312-6666

WRITER'S DIRECT EMAIL
rgnuse@antonelli.com

Honorable Commissioner for Patents
Washington, D.C. 20231

Attorney Docket Number: 1048.39078X00
Customer Number: 020457

Sir:

Attached please find the application papers of **James H. GORDON**, covering new and useful improvements in a **REDUCED CROSSTALK ULTRASONIC PIEZO FILM ARRAY ON A PRINTED CIRCUIT BOARD** comprising:

Title page, Specification, (10) Claims, and Abstract of the Disclosure (13 pages)

Declaration and Power of Attorney (2 pages)

(3) Sheets of Drawings Showing Figures 1-4

U.S. Government Filing Fee \$710.00

Information Disclosure Statement Under 37 C.F.R. 1.97 & 1.98

PTO 1449 and

U.S. Patent 6,030,221

U.S. Patent 5,166,573

Recordation of Assignment

Recordation Fee \$40.00

01/10/01
jc923 U.S. PTO


09757095-01.1001

jc841 U.S. PTO
09/757095
01/10/01

Please charge any shortage in fees due in connection with the filing of this paper, to the Deposit Account of Antonelli, Terry, Stout & Kraus, LLP Account No. 01-2135 (1048.39078X00) and please credit any overpayment of fees to such deposit account.

Respectfully submitted,

ANTONELLI, TERRY, STOUT & KRAUS, LLP



Gregory E. Montone, Registration No. 28,141

GEM:RFG:dmw

jc841 U.S. PTO

09/757095



01/10/01

09757095-011001

PATENT APPLICATION SERIAL NO. _____

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICE
FEE RECORD SHEET

01/12/2001 DTESSEM1 00000106 09757095

01 FC:101

710.00 OP